

Example of Recipe



Peeling Lotion, O/W

Cold Processing

a)	PIONIER® 1053	15,00 %	HANSEN & ROSENTHAL KG
	PIONIER® P	3,00 %	HANSEN & ROSENTHAL KG
	PIONIER® NP 37 G	0,50 %	HANSEN & ROSENTHAL KG
	PERFUME FLORO PPI	0,20 %	CHARABOT
b)	Demin. Water	73,88 %	
	PIONIER® GLYCERINE 99,5%	5,00 %	HANSEN & ROSENTHAL KG
	Phanthenol	2,00 %	
	Allantoine	0,30 %	
	ROKONSAL® KS-4	0,12 %	BIOCHEMA SCHWABEN

The components of the fatty phase a) are mixed by simply stirring; at the same time the thickening agent **PIONIER® NP 37 G** is dispersed in oil at the best way possible (the powdery polyacrylate is not oil-soluble but swells in water rapidly and constantly after this mechanical dispersion).

Finally the previously mixed watery phase b) is added and homogenized. Temperatures over 40 °C as well as extreme shearing are to be avoided.

All production steps can be effected at room temperature.

We give this proposal as a recommendation based on of our best knowledge. No responsibility, in regard to production results obtained, can be accepted by us.

